



Vibration athrography of the knee joint

Beverland, D. E., MCCOY, GF., Kernohan, W. G., & Mollan, RAB. (1987). *Vibration athrography of the knee joint*. Abstract from Société Internationale de Chirurgie Orthopédique et de Traumatologie XVII. World Congress, Munich, Germany.

[Link to publication record in Ulster University Research Portal](#)

Publication Status:

Published (in print/issue): 16/08/1987

Document Version

Publisher's PDF, also known as Version of record

General rights

Copyright for the publications made accessible via Ulster University's Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The Research Portal is Ulster University's institutional repository that provides access to Ulster's research outputs. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact pure-support@ulster.ac.uk.



SICOT 87

Société Internationale de Chirurgie
Orthopédique et de Traumatologie

XVII. WORLD CONGRESS
MUNICH, 16.-21. August 1987

ABSTRACTS



DEMETER VERLAG · D-8032 GRÄFELFING

P 269 Titel/Title
Autoren/Authors
Institution

VIBRATION ARTHROGRAPHY OF THE KNEE JOINT
DE BEVERLAND MD FRCS, GF McCOY MD FRCS
WG KERNOHAN PhD, RAB MOLLAN MD FRCS
DEPARTMENT OF ORTHOPAEDIC SURGERY
THE QUEEN'S UNIVERSITY OF BELFAST

Vibration arthrography is a sensitive, non-invasive technique for the objective study of the knee joint. Using computer assisted vibration sensitive equipment, we studied the vibrational patterns obtained from both normal and symptomatic knee joints. In 172 patients with arthroscopically proven meniscal lesions, characteristic signals were identified in 150 cases (diagnostic accuracy = 86%). In all cases the lesion was localised to the correct side and, in addition, an association was demonstrated between different signal patterns and the different types of meniscal tear. Surgery was shown to have a profound effect on the signals. In most cases, complete resolution of the symptoms was associated with the disappearance of the meniscal signal.

In normal subjects when the knee is moved slowly, a palpable patellar vibration is noted. This signal, which we have called "Physiological Patello-femoral Crepitus" (PPC), is the result of slip-stick friction at the cartilage interface and is therefore entirely cartilage dependant. As such, alteration in the state of the articular cartilage is accompanied by changes in the signal. In advanced degenerative disease, the signal of PPC is not observed. Vibration arthrography therefore represents the first non-invasive method whereby the health of the articular cartilage can be assessed.